

Signal Level Control

Model SLC



Description The SLC is a continuously variable volume control that can remotely control the volume of up to 150 self-amplified speakers. The SLC fits into a single gang electrical box.

- Features**
- Remotely control the volume of up to 150 self-amplified speakers
 - Rugged and attractive stainless steel plate with engraved lettering
 - Mounts in a single gang electrical box
 - Easy and secure terminal strip connections
 - Passive (requires no DC power)

Technical Specifications

Max. Speaker Capacity:	150
Dimensions:	2- ¹³ / ₁₆ " W x 4- ⁹ / ₁₆ " H x 1- ¹⁵ / ₁₆ " D
Product Weight:	2.4 oz.

Architect & Engineer Specifications* The Level Controller shall be a continuously variable passive volume control that can remotely control the volume of up to 150 self-amplified speakers, Bogen Model SLC. The SLC output terminals shall be able to control up to 150 speaker inputs. Output wiring shall be made via two separate two-position screw terminal blocks for input and output signals.

The SLC shall have a rugged and attractive stainless steel plate with engraved lettering.

The SLC shall measure 2-¹³/₁₆" W x 4-⁹/₁₆" H x 1-¹⁵/₁₆" D and fit into a single gang electrical box. The SLC shall weigh 2.4 ounces.

* Architect and Engineer Specifications are available online in a Word document to assist you with preparing your bids.

BOGEN[®]
COMMUNICATIONS, INC.

50 Spring Street, Ramsey, NJ 07446, U.S.A.
201-934-8500 FAX: 201-934-9832
Web Site: www.bogen.com